

AN ACCUMULATIVE BIBLIOGRAPHY OF
AUSTRALIAN ENTOMOLOGY

Compiled by M. S. and B. J. Moulds

- AMOS, T. G., SEMPLE, R. L., WILLIAMS, P. and SCHWARZ, M.**
 1982. Compounds related to juvenile hormone: activity of selected terpenoid compounds on *Rhyzopertha dominica* (Coleoptera: Bostrichidae), *Sitophilus oryzae* and *S. granarius* (Coleoptera: Curculionidae). *Gen. appl. Ent.* 14: 63-68, 4 tables.
- DEARN, John M. and DAVIES, Richard A. H.**
 1983. Natural selection and the maintenance of colour pattern polymorphism in the Australian plague locust *Chortoicetes terminifera*. *Aust. J. biol. Sci.* 36(4): 387-401, 7 tables, text-figs 1 & 2.
- DEBENHAM, M. L.**
 1983. Australasian species of the blood-feeding *Forcipomyia* subgenera, *Lasiohelea* and *Dacnoforcipomyia* (Diptera: Ceratopogonidae). *Aust. J. Zool. Suppl. Ser.* 95: 1-61, text-figs 1-188.
- DOMROW, Robert**
 1983. A new species of *Ornithonyssus* Samson from Tasmania (Acari: Dermanyssidae). *J. Aust. ent. Soc.* 22(1): 69-73, text-figs 1-8.
- DONALDSON, J. F.**
 1983. The Australian species of *Amblypelta* Stål (Hemiptera: Coreidae). *J. Aust. ent. Soc.* 22(1): 47-52, 3 tables, text-figs 1-16.
 1983. Revision of the Australian Asiracinae (Homoptera: Fulgoroidea: Delphacidae). *J. Aust. ent. Soc.* 22(4): 277-285, text-figs 1-42.
- DOUBE, B. M.**
 1984. The effect of breed and coat colour on numbers of the buffalo fly *Haematobia irritans exigua* De Meijere, (Diptera, Muscidae) on bovine hosts. *J. Aust. ent. Soc.* 23(1): 39-45, 5 tables.
- GALLOWAY, I. D. and FRANZMAN, B. A.**
 1983. A new species of *Perilampus* Latreille (Hymenoptera: Pteromalidae) from Australia with notes on its biology. *J. Aust. ent. Soc.* 22(2): 109-112, text-figs 1-10.
- HILL, L.**
 1981. The immature stages of *Euplexia iorrhoea* (Meyrick) (Lepidoptera: Noctuidae). *Aust. ent. Mag.* 8(4): 48-54, 2 tables, text-figs 1-11.
 1982. Eggs of some Tasmanian Noctuidae (Lepidoptera). *Aust. ent. Mag.* 9(4): 49-59, 2 tables, text-figs 1-20.
- HOUSTON, Terry F.**
 1981. Alimentary transport of pollen in a paracolletine bee (Hymenoptera: Colletidae). *Aust. ent. Mag.* 8(4): 57-59.
- JAMES, David G.**
 1982. A transient non-breeding population of *Danaus plexippus* (L.) (Lepidoptera: Nymphalidae) near Picton, New South Wales. *Aust. ent. Mag.* 8(6): 96-99, 1 table.
- JOHNSON, S. J. and JOHNSON, I. R.**
 1984. First record of *Philiris azula* Wind and Clench (Lepidoptera: Lycaenidae) from Australia. *Aust. ent. Mag.* 10(6): 89-90, text-figs 1-6.
- JOHNSON, S. J. and VALENTINE, P. S.**
 1983. Notes on the biology and morphology of *Hesperilla sarnia* Atkins (Lepidoptera: Hesperiidae). *Aust. ent. Mag.* 10(1): 6-8, text-figs 1-5.
- KITCHING, R. L. and CALLAGHAN, C.**
 1982. The fauna of water-filled tree holes in box forest in south-east Queensland. *Aust. ent. Mag.* 8(5): 61-70, text-figs 1-3.

Le SOUËF, J. C.OBITUARY, *Aust. ent. Mag.* 9(6): 99.**McQUILLAN, P. B.**

1983. Observations on *Scaraphites rotundipennis* (Dejean) (Coleoptera: Carabidae) a pest of golf courses on Flinders Island. *Aust. ent. Mag.* 10(4): 41-44, text-figs 1-6.

MORRISON, N. H.1981. Fly mimicry by a jumping spider (Salticidae). *Aust. ent. Mag.* 8(2, 3): 22.1983. A food gathering strategy of the black jumper ant *Myrmecia pilosula* (Smith) (Hymenoptera: Formicidae). *Aust. ent. Mag.* 9(6): 96.**MORTON, S. R. and RENTZ, D. C. F.**

1983. Ecology and taxonomy of fossorial, granivorous gryllacridids (Orthoptera: Gryllacrididae) from arid central Australia. *Aust. J. Zool.* 31(4): 557-579, 4 tables, text-figs 1-30.

MOULDS, M. S.

1983. A new species of *Langia* Moore (Lepidoptera: Sphingidae) from northern Australia. *Aust. ent. Mag.* 10(5): 75-79, text-figs 1-3.

MOULDS, M. S. and d'APICE, J. W. C.

1982. Butterflies of the upper Jardine River, Cape York Peninsula. *Aust. ent. Mag.* 9(2, 3): 21-26, 1 text-fig.

NAUMANN, I. D.

1983. The systematic position of *Dasyproctus verutus* Rayment (Hymenoptera: Sphecidae: Crabroninae). *J. Aust. ent. Soc.* 22(4): 349-351, text-figs 1-3.

NAUMANN, I. D. and SANDS, D. P. A.

1984. Two Australian *Elasmus* spp. (Hymenoptera: Elasmidae), parasitoids of *Pectinophora gossypiella* (Sanders) (Lepidoptera: Gelechiidae): their taxonomy and biology. *J. Aust. ent. Soc.* 23(1): 25-32, 1 table, text-figs 1-9.

NEBOISS, Arturs

1983. Checklist and bibliography of the Australian caddis-flies (Trichoptera). Australian Society for Limnology, Special Publication 5. 132 pp.

1984. Four new caddis-fly species from Victoria (Trichoptera: Insecta). *Victorian Nat.* 101(2): 86-91, text-figs 1-15.

NGUYEN, N. T.

1984. The acquisition of aerial U.L.V. sprays by Australian plague locust nymphs, *Chortoicetes terminifera* (Walker). *J. Aust. ent. Soc.* 23(1): 75-80, 4 tables, text-fig. 1.

O'FLYNN, M. A.

1983. The succession and rate of development of blowflies in carrion in southern Queensland and the application of these data to forensic entomology. *J. Aust. ent. Soc.* 22(2): 137-148, 8 tables, 1 text-fig.

1983. Notes on the biology of *Chrysomya nigripes* Aubertin (Diptera: Calliphoridae). *J. Aust. ent. Soc.* 22(4): 341-342.

OLDROYD, B. and MORAN, C.

1983. Heritability of worker characters in the honeybee (*Apis mellifera*). *Aust. J. biol. Sci.* 36(3): 323-332, 1 table, text-fig. 1.

PAGE, F. D.

1983. Biology of *Austroasca viridigrisea* (Paoli) (Hemiptera: Cicadellidae). *J. Aust. ent. Soc.* 22(2): 149-153, 3 tables, text-fig. 1.

PETNEY, T. N., ANDREWS, R. H. and BULL, C. M.

1983. Movement and host finding by unfed nymphs of two Australian reptile ticks. *Aust. J. Zool.* 31(5): 717-721, 1 table, 1 text-fig.

REEVES, D. M.

1982. Excursion report: Mt. Tamborine, 14/15 November, 1981. QNC News 127: 7-8. Odonata: *Diphlebia lestoides*

Lepidoptera: *Jalmenus evagoras*, *Ornithoptera richmondia*, *Euschemon rafflesia*, *Graphium macleayanus*, *Hesperilla ornata*

RENTZ, D. C. F. and CLYNE, Densey

1983. A new genus and species of pollen- and nectar-feeding katydids from eastern Australia (Orthoptera: Tettigoniidae: Zaprochilinae). *J. Aust. ent. Soc.* 22(2): 155-160, 2 tables, text-figs 1-12.

RIDSDILL SMITH, T. J., WEIR, T. A. and PECK, S. B.

1983. Dung beetles (Scarabaeidae: Scarabaeinae and Aphodiinae) active in forest habitats in southwestern Australia during winter. *J. Aust. ent. Soc.* 22(4): 307-309, 2 tables.

ROBERTSON, L. N.

1984. An extraction method used to study vertical and lateral distribution of soldier fly *Inopus rubriceps* (Diptera: Stratiomyidae) in sugar cane soil. *J. Aust. ent. Soc.* 23(1): 21-24, 2 tables.

ROSSBACH, M. H. and MAJER, J. D.

1983. A preliminary survey of the ant fauna of the Darling Plateau and Swan Coastal Plain near Perth, Western Australia. *J. R. Soc. West. Aust.* 66(3): 85-90, 2 tables, text-figs 1 & 2.

ROTHSCHILD, G. H. L.

1983. Monitoring of pinkspotted bollworm, *Pectinophora scutigera* (Holdaway) Lepidoptera: Gelechiidae) with sex attractant traps. *J. Aust. ent. Soc.* 22(2): 161-166, 1 table, text-figs 1-2.

RUSSELL, R. C.

1979. A study of the influence of some environmental factors on the development of *Anopheles annulipes* Walker and *Anopheles amictus hilli* Woodhill & Lee (Diptera: Culicidae). Part 1. Influence of salinity, temperature and larval density on the development of the immature stages. *Gen. appl. Ent.* 11: 31-41, 14 tables.

1979. A study of the influence of some environmental factors on the development of *Anopheles annulipes* Walker and *Anopheles amictus hilli* Woodhill & Lee (Diptera: Culicidae). Part 2. Influence of salinity, temperature and larval density during the development of the immature stages on adult fecundity. *Gen. appl. Ent.* 11: 42-45, 6 tables.

SCHICHA, Eberhard

1983. New species, new records, and redescription of phytoseiid mites from Australia, Tahiti and the African region (Acari: Phytoseiidae). *Int. J. Ent.* 25(2-3): 103-126, text-figs 1-70.

SELMAN, B. J.

1983. The naming of the Tasmanian species of *Paropsis* Olivier (Coleoptera: Chrysomelidae). *J. Aust. ent. Soc.* 22(4): 333-339, text-figs 1-7.

SELMAN, B. J. and LOWMAN, M. D.

1983. The biology and herbivory rates of *Novascastria nothofagi* Selman (Coleoptera: Chrysomelidae) a new genus and species of *Nothofagus moorei* in Australian temperate rain forests. *Aust. J. Zool.* 31(2): 179-191, 4 tables, text-figs 1-17.

SHAW, Dorothy E. and CANTRELL, B. K.

1983. A study of the pollination of *Alocasia macrorrhiza* (L.) G. Don (Araceae) in southeast Queensland. *Proc. Linn. Soc. N.S.W.* 106(4): 323-335, 6 tables. Hymenoptera, Coleoptera, Thysanoptera, Diptera

1983. Further notes on seed set in *Alocasia macrorrhiza* (Araceae) and occurrence of *Neurochaeta inversa* (Diptera: Neurochaetidae) in Queensland. *Qd Nat.* 24(1-4): 71-75, 2 tables.

SMITHERS, C. N. and BUTLER, W. H.

1983. The butterflies (Lepidoptera: Hesperioidea and Papilioidea) of Barrow and nearby islands, Western Australia. *West. Aust. Nat.* 15(6): 141-145, 2 tables.

SPRADBERY, J. P., POUND, A. A., ROBB, J. R. and TOZER, R. S.

1983. Sterilisation of the screw-worm fly, *Chrysomya bezziana* Villeneuve (Diptera: Calliphoridae), by gamma radiation. *J. Aust. ent. Soc.* 22(4): 319-324, 5 tables, 1 text-fig.

SUTHERST, R. W.

1983. Variation in the numbers of the cattle tick, *Boophilus microplus* (Canestrini), in a moist habitat made marginal by low temperatures. *J. Aust. ent. Soc.* 22(1): 1-5, text-figs 1-2.

TANTON, M. T. and EPILA, J. S. O.

1984. Parasitization of larvae of *Paropsis atomaria* Ol. (Coleoptera: Chrysomelidae) in the Australian Capital Territory. *Aust. J. Zool.* 32(2): 251-259, 4 tables, text-figs 1 & 2.

THWAITE, W. G. and MADSEN, H. F.

1983. The influence of trap density, trap height, outside traps and trap design on *Cydia pomonella* (L.) captures with sex pheromone traps in New South Wales apple orchard. *J. Aust. ent. Soc.* 22(2): 97-99, 1 table, 1 text-fig.

VALENTINE, Peter S.

1982. *Ogyris genoveva gela* Waterhouse (Lepidoptera: Lycaenidae) feeding at sapflow, and the first record of this subspecies from Victoria. *Aust. ent. Mag.* 8(6): 92.

VALENTINE, P. S. and JOHNSON, S. J.

1982. New records of Lycaenidae and Hesperiidae (Lepidoptera) from northern Queensland. *Aust. ent. Mag.* 9(1): 1-3.

VATTANAKUL, Jiraporn and ROSE, H. A.

1982. The culture of the grey cluster bug, *Nysius clevelandensis* Evans under laboratory conditions. *Aust. ent. Mag.* 8(5): 71-72, 1 table.

WALKER, P. L.

1981. Laboratory rearing of the garden weevil, *Phlyctinus callosus* Boheman (Coleoptera: Curculionidae), and the effect of temperature on its growth and survival. *Aust. J. Zool.* 29(1): 25-32, 2 tables, text-figs 1-4.

WEBB, M. D.


1983. Revision of the Australian Idiocerinae (Hemiptera: Homoptera: Cicadellidae). *Aust. J. Zool. Suppl. Ser.* 92: 1-147, text-figs 1-675.

ARTHROPOD MICROVIALS

DESCRIPTION

Semitransparent polyethylene vials with silicone rubber stoppers for use in storage of insect genitalia and other small arthropod parts where association with a pinned specimen or location of small parts in alcohol storage is desirable.

Drawing
4 times
actual
size
(approx.)



PRICE
(Includes Stoppers)

QUANTITY	1000	500
LARGE	\$60.00	\$35.00
SMALL	\$50.00	\$28.00

F.O.B. SACRAMENTO

- ADVANTAGES**
- Glycerine will not creep up sides of vial
 - Impervious and non-reactive to glycerine, alcohol and other common storage reagents.
 - Will not corrode insect pins
 - Unbreakable
 - Uniform size
 - Ideal for class use
 - Available at once in two standard sizes

SPECIFICATIONS

LARGE

SMALL

Vial Outside Diameter	7/32" (6mm.)	5/32" (4.5mm.)
Vial Length w/Stopper	5/8" (16mm.)	9/16" (14mm.)

(Special sizes are available - write for information)

ARTHROPOD SPECIALTIES CO.

2354 CORK CIRCLE • SACRAMENTO, CALIFORNIA 95822